



48"x110" 6MM

Product Catalog





Sustainable Tile, Made in the USA

EcoStone	4
Farmhouse Living	18
imprint	31
JEM	36
Technical Specifications	54
Green Certifications & Accreditations	55

EcoStone_Mist_Vein Cut_48"x110"_Matte

Note: Sizes listed are nominal. Colors shown may vary from actual product. Final selection should be made from actual product samples.



EcoStone



EcoStone



MIE stone
Sustainable Tile, Made in the USA



Cross Cut - 1104374



Vein Cut - 1104379

FOG

Matte / Rectified
4 Total Faces Each



Wall: EcoStone_Fog_Vein Cut_48"x110"_Matte
Floor: EcoStone_Fog_Vein Cut_24"x48"_Matte



Cross Cut Chevron Deco - 1104384



Cross Cut Flute Deco - 1104386



Wall: EcoStone_Fog_Cross Cut_Chevron Deco_48"x110" _Matte
Floor: EcoStone_Fog_Cross Cut_24"x48" _Matte

EcoStone



MIE stone
Sustainable Tile, Made in the USA



Cross Cut - 1104375



Vein Cut - 1104380

JUTE

Matte / Rectified
4 Total Faces Each

EcoStone



Cross Cut - 1104376



Vein Cut - 1104381

MIST

Matte / Rectified
4 Total Faces Each



Façade: EcoStone_Mist_Vein Cut_48"x110"_Matte



Cross Cut Chevron Deco - 1104385



Cross Cut Flute Deco - 1104387

MIST
Decos

Matte / Rectified
4 Total Faces Each



Wall: EcoStone_Mist_Cross Cut_Chevron Deco_48"x110" _Matte
Floor: EcoStone_Mist_Cross Cut_48"x48" _Matte



Cross Cut - 1104377




Vein Cut - 1104382

FOSSIL

Matte / Rectified
4 Total Faces Each



Wall: EcoStone_Fossil_Vein Cut_48"x110"_Matte
Floor: EcoStone_Fossil_Cross Cut_48"x48"_Matte



Cross Cut - 1104378



Vein Cut - 1104383

PUMICE

Matte / Rectified
4 Total Faces Each



Façade: EcoStone_Pumice_Cross Cut_48"x110"_Matte



Farmhouse Living



Farmhouse Living

ALABASTER



1104261

Matte

Rectified

4 Total Faces





Carved Deco - 1104265



Waved Deco - 1104269

ALABASTER

Decos

Matte / Rectified
4 Total Faces Each



Farmhouse Living

PEWTER

1104262

Matte

Rectified

4 Total Faces





Carved Deco - 1104266



Waved Deco - 1104270

PEWTER
Decos

Matte / Rectified
4 Total Faces Each





Farmhouse Living

MILLSTONE

1104263

Matte

Rectified

4 Total Faces





Carved Deco - 1104267



Waved Deco - 1104271

MILLSTONE
Decos

Matte / Rectified
4 Total Faces Each



Wall: Farmhouse Living_Carved Deco_48"x110"_Matte



Farmhouse Living

SLATE

1104264

Matte

Rectified

4 Total Faces





Carved Deco - 1104268



Waved Deco - 1104272

SLATE
Decos

Matte / Rectified
4 Total Faces Each



Wall: Farmhouse Living_Slate_Waved Deco_48"x110"_Matte
Countertop: Farmhouse Living_Slate_48"x110"_Matte



imprint



imprint

**UNDERGLAZED
OMBRE**

COOL

1105081

Matte

Rectified

1 Total Face





Wall: imprint_Underglazed Ombre_Cool_48"x110"_Matte
Floor: imprint_Intaglio_Warm_24"x48"_Matte



imprint

**UNDERGLAZED
OMBRE**

WARM

1105082

Matte

Rectified

1 Total Face



Wall: imprint_Underglazed Ombre_Warm_48"x110" _Matte
Floor: imprint_Intaglio_Warm_24"x24" 2CM_Grip



JEM



JEM

ADAGIO WHITE



1103374 Matte

1103380 Polished

Rectified

4 Total Faces



Wall: JEM_Adagio White_48"x110"_Polished
Floor: JEM_Adagio White_24"x48"_Matte



JEM

FORTE WHITE



1103377 Matte

1103383 Polished

Rectified

4 Total Faces



Desk: JEM_Forte White_48"x110"_Matte
Floor: JEM_Forte White_48"x110"_Polished



Bookmatch A - 1103391



Bookmatch B - 1103392

FORTE WHITE

Bookmatch Faces

Polished / Rectified

1 Total Face Each



JEM

CAPRICCIO GREY

1103373 Matte

1103379 Polished

Rectified

4 Total Faces





Wall: JEM_Capriccio Grey_48"x110"_Matte
Floor: JEM_Capriccio Grey_48"x48"_Matte



Bookmatch A - 1103385



Bookmatch B - 1103386

CAPRICCIO GREY

Bookmatch Faces

Polished / Rectified

1 Total Face Each



JEM

ARIA GOLD

1103375 Matte

1103381 Polished

Rectified

4 Total Faces





Bookmatch A - 1103393



Bookmatch B - 1103394

ARIA GOLD

Bookmatch Faces

Polished / Rectified

1 Total Face Each



Wall: JEM_Aria Gold_48"x110"_Bookmatch_Polished
Floor: JEM_Aria Gold_48"x48"_Polished



JEM

CRESCENDO BLUE

1103376 Matte

1103382 Polished


Rectified

4 Total Faces





Bookmatch A - 1103387



Bookmatch B - 1103388

CRESCENDO BLUE

Bookmatch Faces

Polished / Rectified
1 Total Face Each



Wall: JEM_Crescendo Blue_48"x110"_Bookmatch_Polished
Floor: JEM_Crescendo Blue_48"x48"_Matte



JEM

SYMPHONY RED

1103378 Matte

1103384 Polished

Rectified

4 Total Faces





Wall: JEM_Symphony Red_48"x110"_Matte



Bookmatch A - 1103389



Bookmatch B - 1103390

SYMPHONY RED
















Bookmatch Faces

Polished / Rectified

1 Total Face Each

Technical Specifications









This product meets or exceeds all standards described in ANSI A137.1 & A 137.3.
 Este producto cumple o excede todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

Green Certifications & Accreditations

DESCRIPTION

	<p>Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.</p>
	<p>The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.</p>
	<p>Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.</p>
	<p>Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.</p>
	<p>Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.</p>
	<p>Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.</p>
	<p>Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.</p>
	<p>Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.</p>
	<p>USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.</p>
	<p>Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.</p>
	<p>Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.</p>
	<p>The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.</p>
	<p>ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that its manufacturing practices are environmentally conscious.</p>
	<p>Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.</p>

MADE IN THE USA



300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

