

BRECCIA



BRECCIA

colors

BRECCIA / WHITE



BRECCIA / SILVER



BRECCIA / NOIR



BRECCIA / NOIR p.24



BRECCIA / SILVER p.14



BRECCIA / WHITE p.6

BRECCIA

Available in 12"x24", 12"x12",
3"x12" Listello, along with
coordinating bullnose, mosaics,
and cove base options.





Breccia is an Italian word describing a fragment of mineral or rock formed together to make a new complex structure. The unique visual appearance have made breccias a popular choice in architecture and design for thousands of years. This material has been embellishing important buildings and palaces since ancient times and can add a touch of luxury to your home or business with its fractal beauty and effortless sophistication. Breccia, from Milestone, is a striking example of this precious stone and is full of depth and movement. Breccia is available in three designer colors and three modular sizes, as well as a variety of mosaics and trims.



BRECCIA / WHITE

BRECCIA







12"x12". 12"x24" / **WHITE** Polished



BRECCIA / **SILVER**

BRECCIA



3"x12". listello / **SILVER** Polished .12"x12". mosaic / **WHITE** Polished



12"x24". / **SILVER**



3"x12", listello / **SILVER** Polished .12"x12", mosaic / **WHITE** Polished .12"x24" / **SILVER**




12"x12". 12"x24" / **SILVER** Polished





ALM ACH
MALE ACH
A A N
B L G A
N E V P T
MON
NAR AB
C A R
LO R L
DE W
CU CU
FRES AT
M A L

ROXANNE LOWIT BACKSTAGE DIOR |
→ wolterinck's world OUTIN |



BRECCIA / NOIR

BRECCIA









3"x12". listello .12"x24" / **NOIR** Polished





3"x12", listello .12"x24" / NOIR Polished





3"x12", listello .12"x24" / NOIR Polished

SIZES & SHADE VARIATION

sizes:

12"x24"
Matte / Rectified




1100533 Noir
1100532 Silver
1100531 White

12"x24"
Polished / Rectified




1100536 Noir
1100535 Silver
1100534 White

12"x12"
Matte / Rectified



1100539 Noir
1100538 Silver
1100537 White

12"x12"
Polished / Rectified



1100542 Noir
1100541 Silver
1100540 White

3"x12"
Listello / Polished




1100560 Noir
1100559 Silver
1100558 White

Colors shown may vary from actual product.
Final selection should be made from actual product samples.


mosaics & trim pieces:

12"x12" Mosaic
(36 dot) Matte



1100551 Noir
1100550 Silver
1100549 White

12"x12" Mosaic
(36 dot) Polished



1100554 Noir
1100553 Silver
1100552 White

3"x12" Bullnose
Matte



1100548 Noir
1100547 Silver
1100546 White

3"x12" Bullnose
Polished




1100545 Noir
1100544 Silver
1100543 White

6"x12" Cove Base *special order only
Matte




1100557 Noir
1100556 Silver
1100555 White



V1

UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION
Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.

















V4

SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.








Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.
 Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE [®] stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest [®]	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

Green Memberships & Accreditations

	DESCRIPTION
	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.
	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that its manufacturing practices are environmentally conscious.
	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE[®]stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE[®]stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.



Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

MADE IN THE USA



300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

