


Classic in nature, modern in presentation.

With the unique ability to tie together rustic and modern décor schemes, or to stand alone in its own brilliance, marble-looks have been the sought after for centuries.

Classically timeless, the Marbles collection contains an array of five designer shades, sure to please even the most decerning interior designers. Boasting four attractive sizes including a gorgeous large format 24"x48".

The Marbles collection is comprised of 40% recycled content, is made from locally sourced, natural materials and contains no VOCs, PVC or Formaldehyde commonly found in other flooring options.

















12"x24" / VOLAKAS SILK matte . 9"x11" Hexagon Mosaic matte / VOLAKAS SILK





























12"x24" / ONICIATA IVORY matte . 12"x12" Mosaic / ONICIATA IVORY polished



















sizes:

24"x48" Matte

- 1102327 Volakas Silk 1102328 Carrara White
- 1102329 Oniciata Ivory 1102330 Oniciata Grey
- 1102331 Marmo Nero

24"x24" Matte



- 1102282 Volakas Silk 1102283 Carrara White
- 1102284 Oniciata Ivory 1102285 Oniciata Grev
- 1102286 Marmo Nero


12"x24" **Matte**



- 1102292 Volakas Silk 1102293 Carrara White 1102294 Oniciata Ivory
- 1102295 Oniciata Grey 1102296 Marmo Nero

Colors shown may vary from actual product. Final selection should be made from actual product samples.

24"x48" Polished



- 1102332 Volakas Silk
- 1102333 Carrara White 1102334 Oniciata Ivory
- 1102335 Oniciata Grey
- 1102336 Marmo Nero

24"x24" Polished



- 1102337 Volakas Silk
- 1102338 Carrara White
- 1102339 Oniciata Ivory 1102340 Oniciata Grey
- 1102341 Marmo Nero

12"x24" Polished



- 1102342 Volakas Silk 1102343 Carrara White
- 1102344 Oniciata Ivory
- 1102345 Oniciata Grey 1102346 Marmo Nero

8"x24" Polished



- 1102379 Volakas Silk 1102380 Carrara White
- 1102381 Oniciata Ivory
- 1102382 Oniciata Grey
- 1102383 Marmo Nero

mosaics & trim pieces:

12"x12" **Mosaic Matte** (36 dot) 2"x2"



- 1102357 Volakas Silk 1102358 Carrara White 1102359 Oniciata Ivory
- 1102360 Oniciata Grey 1102362 Marmo Nero

12"x12" **Mosaic Polished** (36 dot) 2"x2"



- 1102363 Volakas Silk
- 1102364 Carrara White 1102365 Oniciata Ivory
- 1102367 Oniciata Grey
- 1102368 Marmo Nero

Hexagon Mosaic Matte



- 1102369 Volakas Silk
- 1102370 Carrara White 1102371 Oniciata Ivory
- 1102372 Oniciata Grey
- 1102373 Marmo Nero

3"x12" Bullnose Matte

- 1102347 Volakas Silk 1102348 Carrara White
- 1102349 Oniciata Ivory 1102350 Oniciata Grey 1102351 Marmo Nero

Hexagon Mosaic Polished



- 1102374 Volakas Silk
- 1102375 Carrara White
- 1102376 Oniciata Ivory
- 1102377 Oniciata Grey
- 1102378 Marmo Nero

3"x12" Bullnose Polished

- 1102352 Volakas Silk
- 1102353 Carrara White
- 1102354 Oniciata Ivory
- 1102355 Oniciata Grey 1102356 Marmo Nero




UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



SUBSTANTIAL VARIATION

Bandom color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique





Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3. Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
*	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
^	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
*	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
×	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200	lbf
<u> </u>	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300	lbf
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500	O lbf
*	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
Н	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
H	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
ı	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

[•] Due to the inherent nature of fired porcelain tile, it is important to note that the coefficent of friction may vary within and between product runs.

Green Certifications & Accreditations

DESCRIPTION

Red List Free	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
hod version 2.0	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
EPD® THE INTERNATIONAL EPD® SYSTEM	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
G GREEN SQUARED	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
GREENGLARD MONOTOR BRINGS MO	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
Solve Consumer	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
Consumo	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
INTERNATIONAL LIVING FUTURE INSTITUTE	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
TEMBER.	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.
TILL COUNCIL OF NORTH AMERICA, INC.	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
THE STATE OF THE S	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
DSi Si O 9001 Si O 14001 Si O 140	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.
BENEFIT	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE*stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.

Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and

Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- · Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE*stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.





300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

